


# Product data sheet



MedKoo Cat#: 406834 Name: KS-176 CAS: 1253452-78-6 Chemical Formula: C <sub>22</sub> H <sub>19</sub> N <sub>3</sub> O <sub>5</sub> Exact Mass: 405.1325 Molecular Weight: 405.41	
Product supplied as:	Powder
Purity (by HPLC):	≥ 98%
Shipping conditions	Ambient temperature
Storage conditions:	Powder: -20°C 3 years; 4°C 2 years. In solvent: -80°C 3 months; -20°C 2 weeks.

## 1. Product description:

KS-176 is a potent specific inhibitor of Breast Cancer Resistance Protein (BCRP) / ATP-binding cassette sub-family G member 2 (ABCG2).

## 2. CoA, QC data, SDS, and handling instruction

SDS and handling instruction, CoA with copies of QC data (NMR, HPLC and MS analytical spectra) can be downloaded from the product web page under “QC And Documents” section. Note: copies of analytical spectra may not be available if the product is being supplied by MedKoo partners. Whether the product was made by MedKoo or provided by its partners, the quality is 100% guaranteed.

## 3. Solubility data

Solvent	Max Conc. mg/mL	Max Conc. mM
DMF	20.0	49.33
DMSO	44.14	108.87
DMSO:PBS (pH 7.2) (1:3)	0.25	0.62
Ethanol	3.0	7.40

## 4. Stock solution preparation table:

Concentration / Solvent Volume / Mass	1 mg	5 mg	10 mg
1 mM	2.47 mL	12.33 mL	24.67 mL
5 mM	0.49 mL	2.47 mL	4.93 mL
10 mM	0.25 mL	1.23 mL	2.47 mL
50 mM	0.05 mL	0.25 mL	0.49 mL

## 5. Molarity Calculator, Reconstitution Calculator, Dilution Calculator

Please refer the product web page under section of “Calculator”

## 6. Recommended literature which reported protocols for in vitro and in vivo study

In vitro study

TBD

In vivo study

TBD

## 7. Bioactivity

Biological target:

KS176 is a potent and selective inhibitor of the breast cancer resistance protein (BCRP) multidrug transporter (IC<sub>50</sub> values are 0.59 and 1.39 μM in Pheo A and Hoechst 33342 assays respectively).

In vitro activity

TBD

# Product data sheet



In vivo activity

---

TBD

*Note: The information listed here was extracted from literature. MedKoo has not independently retested and confirmed the accuracy of these methods. Customer should use it just for a reference only.*