# **Product data sheet**



MedKoo Cat#: 555890		
Name: LVN84663		H <sub>2</sub> N O NH
CAS: 103784-66-3		
Chemical Formula: C <sub>26</sub> H <sub>36</sub> N <sub>8</sub> O <sub>5</sub> S		N NH <sub>2</sub>
Exact Mass: 572.2529		ρ νη ''
Molecular Weight: 572.685		U 1
Product supplied as:	Powder	0, N, N
Purity (by HPLC):	≥ 98%	
Shipping conditions	Ambient temperature	
Storage conditions:	Powder: -20°C 3 years; 4°C 2 years.	
	In solvent: -80°C 3 months; -20°C 2 weeks.	

### 1. Product description:

LVN84663 is a useful reagent for determination of blood coagulating protease. It was first described in patent DE 3516579. This product has no formal name at the moment. For the convenience of communication, a temporary code name was therefore proposed according to MedKoo Chemical Nomenclature (see web page: https://www.medkoo.com/page/naming).

#### 2. CoA, QC data, SDS, and handling instruction

SDS and handling instruction, CoA with copies of QC data (NMR, HPLC and MS analytical spectra) can be downloaded from the product web page under "QC And Documents" section. Note: copies of analytical spectra may not be available if the product is being supplied by MedKoo partners. Whether the product was made by MedKoo or provided by its partners, the quality is 100% guaranteed.

3. Solubility data

Solvent	Max Conc. mg/mL	Max Conc. mM
TBD	TBD	TBD

4. Stock solution preparation table:

Concentration / Solvent Volume / Mass	1 mg	5 mg	10 mg
1 mM	1.75 mL	8.73 mL	17.46 mL
5 mM	0.35 mL	1.75 mL	3.49 mL
10 mM	0.18 mL	0.87 mL	1.75 mL
50 mM	0.04 mL	0.18 mL	0.35 mL

#### 5. Molarity Calculator, Reconstitution Calculator, Dilution Calculator

Please refer the product web page under section of "Calculator"

## 6. Recommended literature which reported protocols for in vitro and in vivo study

In vitro study

**TBD** 

In vivo study

TBD

#### 7. Bioactivity

Biological target:

LVN84663 is a useful reagent for determination of blood coagulating protease.

In vitro activity

TBD

In vivo activity

TBD

Note: The information listed here was extracted from literature. MedKoo has not independently retested and confirmed the accuracy of these methods. Customer should use it just for a reference only.