

Supporting Information
**A Practical Enantioselective Synthesis of Odanacatib (MK-0822) a Potent
 Cathepsin K Inhibitor via Triflate Displacement of an α -Trifluoromethylbenzyl
 Triflate.**

Paul D. O'Shea, *[†] Cheng-yi Chen, [‡] Danny Gauvreau, [†] Francis Gosselin, [†] Greg Hughes, [†]
 Christian Nadeau, [†] and Ralph P. Volante[‡]



*Department of Process Research, Merck Frosst Centre for Therapeutic Research, P.O.
 Box 1005, Pointe-Claire-Dorval, Québec, H9R 4P8, Canada and Merck Research
 Laboratories, P.O. Box 2000, Rahway, New Jersey 07065.*

paul_oshea@merck.com


Table of Contents

¹ H NMR of (1R)-1-(4-bromophenyl)-2,2,2-trifluoroethanol 2a	S2
¹³ C NMR of (1R)-1-(4-bromophenyl)-2,2,2-trifluoroethanol 2a	S3
¹⁹ F NMR of (1R)-1-(4-bromophenyl)-2,2,2-trifluoroethanol 2a	S4
¹ H NMR of ((1R)-1-(4-bromophenyl)-2,2,2-trifluoroethyl trifluoromethanesulfonate 9a	S5
¹³ C NMR of ((1R)-1-(4-bromophenyl)-2,2,2-trifluoroethyl trifluoromethanesulfonate 9a	S6
¹⁹ F NMR of ((1R)-1-(4-bromophenyl)-2,2,2-trifluoroethyl trifluoromethanesulfonate 9a	S7
¹ H NMR of Ethyl N-[(1S)-1-(4-bromophenyl)-2,2,2-trifluoroethyl]-4-fluoro-L-leucinate 10a	S8
¹³ C NMR of Ethyl N-[(1S)-1-(4-bromophenyl)-2,2,2-trifluoroethyl]-4-fluoro-L-leucinate 10a	S9
¹ H NMR of Ethyl 4-fluoro-N-{(1S)-2,2,2-trifluoro-1-[4'-(methylsulfonyl)biphenyl-4-yl]ethyl}-L-leucinate 12	S10
¹³ C NMR of Ethyl 4-fluoro-N-{(1S)-2,2,2-trifluoro-1-[4'-(methylsulfonyl)biphenyl-4-yl]ethyl}-L-leucinate 12	S11
¹⁹ F NMR of Ethyl 4-fluoro-N-{(1S)-2,2,2-trifluoro-1-[4'-(methylsulfonyl)biphenyl-4-yl]ethyl}-L-leucinate 12	S12
¹ H NMR of (2S)-4-fluoro-4-methyl-2-(((1S)-2,2,2-trifluoro-1-(4'- (methylsulfonyl)biphenyl-4-yl))amino)pentanoic acid 12a	S13
¹³ C NMR of (2S)-4-fluoro-4-methyl-2-(((1S)-2,2,2-trifluoro-1-(4'- (methylsulfonyl)biphenyl-4-yl))amino)pentanoic acid 12a	S14
¹⁹ F NMR of (2S)-4-fluoro-4-methyl-2-(((1S)-2,2,2-trifluoro-1-(4'- (methylsulfonyl)biphenyl-4-yl))amino)pentanoic acid 12a	S15
¹ H NMR of (2S)-N-(1-cyanocyclopropyl)-4-fluoro-4-methyl-2-(((1S)-2,2,2-trifluoro-1- [4'-(methylsulfonyl)biphenyl-4-yl]ethyl)amino)pentanamide 1	S16
¹³ C NMR of (2S)-N-(1-cyanocyclopropyl)-4-fluoro-4-methyl-2-(((1S)-2,2,2-trifluoro-1- [4'-(methylsulfonyl)biphenyl-4-yl]ethyl)amino)pentanamide 1	S17
¹⁹ F NMR of (2S)-N-(1-cyanocyclopropyl)-4-fluoro-4-methyl-2-(((1S)-2,2,2-trifluoro-1- [4'-(methylsulfonyl)biphenyl-4-yl]ethyl)amino)pentanamide 1	S18



S2




S3






S4







SS










S7






85








6S




S10








S11




S12





S13




S14




S15




S16







S17



S18



3.22

1.00